



CORSAIR 29		VERADO 400 R		PROPELLER	
Hull Type	Stepped Deep-V	Engine	4 Stroke	Bravo I	15 1/4" x 26"
Deadrise	Trans. 24*-Bow 55*	HP	400	Blades	4
Weight	1100 Kgr	Displacement	2.6 lt	Material	Stainless steel
Length	9.25 m	Weight	303 kg	MOUNTING HEIGHT	
Width	2.85 m	Operating Range	6400 – 7000 rpm	Hole Position	---
Tubes Material	H.N Orca 1670 dtex	Gear Ratio	1.75:1	Jack Plate	Yes
Tubes diam.	40-55cm			A/V plate-hull	18cm
Hull Material	GRP				
www.topline.gr		www.mercurymarine.com			

TEST CONDITIONS

Sea State	Calm	Fuel	150 ltrs
Wind Velocity	5 mph	Crew Weight	160 Kgr
Air Temperature	35°C	Equipment Weight	100 Kgr

PERFORMANCE DATA						USEFUL REMARKS	
RPM	KNOTS	LPH	LPM	SLIP	RANGE		
3000	26			29%		On Plane	@ 2500 rpm
3500	32			25%		W.O.T.	6500 rpm
4000	39			20%		Top Speed	65 Knots
4500	45			18%		Acceleration	0-30 Knots in - sec
5000	50			18%		Best Fuel Efficiency	- @ - rpm
5500	55			18%			
6000	60			18%		Optimum Range	- nm @ - Knots
6500	65	-	-	18%			